APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction
Corrected application filed
Map filed DEC 1 5 1986
HOMECTANG MINITAG COMPANY OF CALIFORNIA
The applicant HOMESTAKE MINING COMPANY OF CALIFORNIA
P. U. Box 10628 of Reno Street and No. or P.O. Box No. City or Town
Nevada 89510 , hereby make application for permission to appropriate the publistate and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation,
tion; if a copartnership or association, give names of members.)
California corporation, November 6, 1877
1. The source of the proposed appropriation is Underground Gold Hill Well No. 1 Name of stream, lake, spring, underground or other source
2. The amount of water applied for is
3. The water to be used for Mining and milling Irrigation, power, mining, manufacturing, domestic, or other use, Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12, Remarks"
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point. NE1/4NW1/4. Section. 33,T11N, R44E
MDB&M, at a point from which the NW corner of said Section 33 bears N. 670 51' survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. 08" W2819_67_feet_distant
6. Place of use All of Section 32 T11N, R44E, MDR&M Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year. Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an
specifications of your diversion or storage works.) Well, pipeline. This water is to be used State manner in which water is to be diverted, i.e. diversion structure, ditches as for exploratory drilling of a mineral deposit
flumes, drilled well with pump and motor, etc. 9. Estimated cost of works \$20,000

	Estimated time required to construct works		
11.	Estimated time required to complete the application	on of water to beneficial use 5 years	
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annua consumptive use.		
	The annual consumptive use is 236,520,000 gallons per year. If the exploration		
	drilling proves out a viable ore body, then this water would be used for mining		
	and milling purposes during extraction of the ore body.		
	npared jjk/bc pm/se	By s/Alan D. Cox Alan D. Cox, applicant for Homestake Mining Co. P.O. Box 10628, Reno, NV 89510	
rion			
	APPROVAL	OF STATE ENGINEER	
amour igh lace ease	wing limitations and conditions: This permit is issued subject to exent of water herein granted is only a tobtained under this permit will be sed to beneficial use. It is also un conable lowering of the static water (2) inch opening for measuring depth to be installed and maintained to prev	cing application, and do hereby grant the same, subject to the disting rights. It is understood that the a temporary allowance and that the final water dependent upon the amount of water actually derstood that this right must allow for a level. This well shall be equipped with a to water. If the well is flowing, a valve	
instraction Instraction Instraction Instraction Instruction Instru	trate measurements must be kept of wastr must be installed before any use of of Work is filed. This source is lower, pursuant to NRS 534.030. The he water herein granted at any and a The total combined duty of water unsource shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit ITINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0	ge pipeline near the point of diversion and atter placed to beneficial use. The totalizing of water begins, or before the Proof of Completated within an area designated by the State State retains the right to regulate the use all times. Index permits 50421, 50422, 50423, 50424, 50423, gallons annually. In the second of the provisions of NRS Chapter 534. The sis by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use, and cubic feet per second of the beneficial use.	
Instance in the control of the contr	trate measurements must be kept of wast must be installed before any use of of Work is filed. This source is lowner, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unsourced shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed	ge pipeline near the point of diversion and atter placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50423, gallons annually. In the second s	
Instance in the control of the contr	trate measurements must be kept of wastr must be installed before any use of of Work is filed. This source is lower, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unsourced shall not exceed 86.47 milling. This permit is issued under the preser of use of water under this permit TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually.	ge pipeline near the point of diversion and atter placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50428, gallons annually. In general use provisions of NRS Chapter 534. The is by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second. But not to exceed 86.47. In the description of the description	
instruction instru	arate measurements must be kept of wast must be installed before any use of of Work is filed. This source is lower, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unsourced shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before.	ge pipeline near the point of diversion and atter placed to beneficial use. The totalizing of water begins, or before the Proof of Composated within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50423, gallons annually. Institute of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second . But not to exceed 86.47 described by the State Proof of the completed on or before received by the state of the proof of the complete of the amount which can be applied to beneficial use, and the complete of	
instraction instra	trate measurements must be kept of wastr must be installed before any use of of Work is filed. This source is lowner, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unsource shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit strinued on PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before dication of water to beneficial use shall be made on	ge pipeline near the point of diversion and other placed to beneficial use. The totalizing of water begins, or before the Proof of Composite and within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50423, gallons annually. Inserted use provisions of NRS Chapter 534. The is by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second , but not to exceed 86.47. The description of the second	
instance in the instance in th	trate measurements must be kept of wastr must be installed before any use of of Work is filed. This source is loneer, pursuant to NRS 534.030. The he water herein granted at any and a The total combined duty of water unsource of shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before dication of water to beneficial use shall be made on of of the application of water to beneficial use shall	ge pipeline near the point of diversion and other placed to beneficial use. The totalizing of water begins, or before the Proof of Composite and within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50423, gallons annually. Instead use provisions of NRS Chapter 534. The is by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and the cubic feet per second and the beneficial use, and the completed on or before. November 23, 1989	
instance in the instance in th	trate measurements must be kept of waster must be installed before any use of of Work is filed. This source is lowner, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unsource of shall not exceed 86.47 milling. This permit is issued under the preservor of use of water under this permit. TINUED ON PAGE 2) amount of water to be appropriated shall be limited to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before dication of water to beneficial use shall be filed on or before of the application of water to beneficial use shall be filed on pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed. IN The total constant is a support of proof of beneficial use shall be filed pletion of work filed.	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of Complete and within an area designated by the State State retains the right to regulate the use all times. It is solven annually. It is by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second, but not to exceed 86.47. In the document of the complete and be determined by the State State Provisions of NRS Chapter 534. The significant is by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and the cubic feet per second, but not to exceed 86.47. December 23, 1989 November 23, 1992 The document of the complete of t	
Instance in the instance in th	trate measurements must be kept of waster must be installed before any use of of Work is filed. This source is lower, pursuant to NRS 534.030. The she water herein granted at any and a The total combined duty of water unstalling this permit is issued under the preser of use of water under this permit its issued under the preser of use of water under this permit its installed and the exceed. 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50423, gallons annually. Insterred use provisions of NRS Chapter 534. The sis by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second, but not to exceed 86.47. In a December 23, 1989 In or before November 23, 1992 December 23, 1992 Testimony whereof, I. Peter G. Morros State Engineer of Nevada, have hereunto set my hand and the seal of t	
Instance in the instance in th	erate measurements must be kept of water must be installed before any use of of Work is filed. This source is loneer, pursuant to NRS 534.030. The he water herein granted at any and a The total combined duty of water unsource of shall not exceed 86.47 milling. This permit is issued under the preser of use of water under this permit (TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before dication of water to beneficial use shall be in support of proof of beneficial use shall be filed pletion of work filed. IN This permit is issued under the premit of the application of water to beneficial use shall be filed pletion of work filed. In This permit is issued at any and a state of the application of water to beneficial use shall be filed pletion of work filed. In This permit is issued at any and a state of the application of water to beneficial use shall be filed pletion of work filed.	ge pipeline near the point of diversion and other placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. In the der Permits 50421, 50422, 50423, 50424, 50423, gallons annually. In the second sec	
Instractor in the instruction of	erate measurements must be kept of water must be installed before any use of of Work is filed. This source is loneer, pursuant to NRS 534.030. The he water herein granted at any and a The total combined duty of water unsource of shall not exceed 86.47 milling. This permit is issued under the preser of use of water under this permit (TINUED ON PAGE 2) amount of water to be appropriated shall be limit to exceed. 1.0 ion gallons annually. k must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before dication of water to beneficial use shall be in support of proof of beneficial use shall be filed pletion of work filed. IN This permit is issued under the premit of the application of water to beneficial use shall be filed pletion of work filed. In This permit is issued at any and a state of the application of water to beneficial use shall be filed pletion of work filed. In This permit is issued at any and a state of the application of water to beneficial use shall be filed pletion of work filed.	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. Index Permits 50421, 50422, 50423, 50424, 50428, gallons annually. Insterred use provisions of NRS Chapter 534. The sis by nature of its activity a temporary use ted to the amount which can be applied to beneficial use, and cubic feet per second , but not to exceed 86.47. In a second	
Instractor in the instruction of	erate measurements must be kept of water must be installed before any use of of Work is filed. This source is loneer, pursuant to NRS 534.030. The he water herein granted at any and a The total combined duty of water unsource of shall not exceed 86.47 milling. This permit is issued under the preser of use of water under this permit error of use of water to be appropriated shall be limit to exceed	ge pipeline near the point of diversion and other placed to beneficial use. The totalizing of water begins, or before the Proof of Completed within an area designated by the State State retains the right to regulate the use all times. In the der Permits 50421, 50422, 50423, 50424, 50423, gallons annually. In the second sec	

Page 2 50421

(PERMIT TERMS CONTINUED)

and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

